



CREATIVE INDUSTRIAL SYSTEMS

- INDUSTRIAL PULLEYS
- CUSTOM MOUNTING BRACKETS
- POWDER COATING/ZINC PLATING
- CABLE/CABLE KITS
- LASER CUTTING
- ALLEN BRADLEY/HONEYWELL PRODUCTS




Leading Innovators in Conveyor Safety, Custom Mounting Brackets, Laser Cutting, and more!


Industrial Pulley Systems/Pulley Brackets




TRI-P-90
90 degree bend
Tri-Pulley Universal Bracket



TRI-P-U
U shape
Tri-Pulley Universal Bracket




TRI-P-FLT
Flat
Tri-Pulley Universal Bracket



2" Diameter Swivel Pulley
(Pulley-01)

Suitable For Use with 1/8" 7X7 or 7X19 Strand Galvanized Aircraft Cable

Supplied with 3/8" Diameter X 4" Long Turned Eyebolt, Hex Nuts and Pre-Assembled with 1/2" Hardware




2" Diameter Fixed Pulley
(Pulley-02)

Suitable For Use with 1/8" 7X7 or 7X19 Strand Galvanized Aircraft Cable

Pre-Mounted with #10-24 Hardware on a Zinc Plated, Right Angle Bracket (3/16" Thick)

Supplied with 3/8" Hardware for Mounting to Conveyor Side Channel

Cable and Hardware Kits



HD Spring

Turnbuckle

Cable

Eye Bolts

Thimbles, S-Hooks, & Cable Clamps

CIS-ATX-50-KIT

Hardware kit that includes a package of highly used conveyor automation components. The kit encompasses various components to simplify the sourcing process for high-volume hardware demand. Included are:

- 50' red cable (1),
- turnbuckles (2),
- thimbles (4),
- rope clamps (8),
- eye bolts (8)
- whiz nuts (16),
- flat washer (16)

CIS-DIV-KIT-1

Hardware kit that includes a package of highly used conveyor automation components. The kit encompasses various components to simplify the sourcing process for high-volume hardware demand. Included are:

- 150' red cable (1),
- eye & eye turnbuckle (1),
- thimbles (2),
- rope clamps (4),
- eye bolts (15)
- quick connectors (2),
- spring (1)

CIS-ATX-70-KIT

Hardware kit that includes a package of highly used conveyor automation components. The kit encompasses various components to simplify the sourcing process for high-volume hardware demand. Included are:

- 70' red cable (1),
- turnbuckles (2),
- thimbles (4),
- rope clamps (8),
- eye bolts (8)
- whiz nuts (16),
- flat washer (16)

CIS-DIV-KIT-2

Hardware kit that includes a package of highly used conveyor automation components. The kit encompasses various components to simplify the sourcing process for high-volume hardware demand. Included are:

- eye & eye turnbuckle (1),
- thimbles (2),
- rope clamps (4),
- eye bolts (15)
- quick connectors (2),
- spring (1)

ZZZZR7

Red Vinyl-Coated 7x7 Strand Galvanized Aircraft Cable

Bare Cable Diameter: 1/8" Coated Cable Diameter: 3/16" O.D.

Weight: 28.5 lbs. per 1000 ft

Minimum Break Strength: 1,700 lbs.

Cut to Length: 5000 ftM. aximum Length
(Note: "ZZZZ" = Length of Cable in Feet)

ZZZZY7

Yellow Available Vinyl-Coated 7x7 Strand Galvanized Aircraft Cable

Bare Cable Diameter: 1/8" Coated Cable Diameter: 3/16" O.D.

Weight: 28.5 lbs. per 1000 ft

Minimum Break Strength: 1,700 lbs.

Cut to Length: 5000 ft. Maximum Length
(Note: "ZZZZ" = Length of Cable in Feet)

SLK-R7-1 W

Single Span Cable Kit

Kit includes all hardware needed for installation:

- 50' red aircraft cable (yellow available),
- cable clamps,
- HD spring,
- turnbuckle,
- thimble,
- eye bolts & nuts


SLK-R7-2 W

DualSpan Cable Kit

Kit includes all hardware needed for installation:

- 2 x50' red aircraft cable (yellow available),
- cable clamps,
- HD spring (2),
- turnbuckle (2),
- thimble (2),
- eye bolts & nuts

Photo Eye Control Brackets



PEBKT-21-000-21-00

4 & 1 Hole Photo Eye Control Bracket Assembly (Steel/Zinc)

Powder coating available in any color at no additional charge

Material: 12" Long X 1/2" Schedule 40 Zinc Plated Pipe with 3"x3"x16" Zinc Plated C.R.S. Plate


Allows for 12" Vertical or Horizontal Adjustment (Depending on Mounting Orientation)

Plate has 4 Mounting Holes (9/32" Dia.) on 2" Centers for Photo Control Attachment (Requires Angle or Swivel Type Adapter Bracket from Photo Control Manufacturer)

Plate Mounting Holes Allow for a Total of 4 Photo Control Mounting Orientations

Supplied with Zinc Plated 12" Long X 1/2" Schedule 40 Pipe and 2 Hole (9/32" Diameter) Standoff Mounting Plate, Heavy Duty 1/2" Pipe Cross Clamp and All Necessary Hardware for Mounting to Equipment

(Note: This Control Bracket Assembly May Be Used with Many Popular Photo Controls That Use the Universal 2" on Center Mounting Pattern.)



PEBKT-22-000-22-00

Standard 5 & 2 Hole Bracket Assembly With Ability To Adapt Any Hole Pattern (Steel/Zinc)

Material: 12" long x 1/4" solid carbon steel rod, zinc plate (or powder-coated) with 3"x3"x16" zinc plated CRS plate

Allows for 12" vertical or horizontal adjustment (depending on mounting orientation)

The standard plate has a 5 mounting holes (9/32" Dia.) on 2" centers for photo control attachment

Supplied with (2) 12" long rods connected with an aluminum pipe cross with individual set screws and necessary hardware for configuration



PEBKT-00-000-21-00

1 Hole Bracket Kit (Steel/Zinc)

Powder coating available in any color at no additional charge



PEBKT-21-000-00-00

4 Hole Bracket Kit (Steel/Zinc)

Powder coating available in any color at no additional charge



PEBKT-00-000-22-00

Photo Control Bracket 3 Hole Kit

Reflectors sold separately

Reflectors



PEBKT-00-000-13

Plastic back 3.25" reflector

3-1/4" Diameter Corner Cube Refroreflector
Plastic Housed with 3/16" Diameter Hole for Screw Type Mounting
Suitable for Use with Polarized Photo Controls
Mounting Brackets Sold Separately

PEBKT-00-000-23

Aluminum back 3.25" reflector

3-1/4" Diameter Corner Cube Refroreflector
Aluminum Housed with 3/16" Diameter Hole for Screw Type Mounting
Suitable for Use with Polarized Photo Controls
Mounting Brackets Sold Separately




CISBH05


Reflector Bracket

CISBH06

Reflector Bracket



ATX-02




ATX-02

Telemecanique XUMgAPCNL03M12
Photo Eye

ATX-05

Combination of ATX-02 and ATX-032



Mounting Brackets




BKT-01

Small Bracket

Sold Separately

No Hardware Included

Multi-functional bracket used for various electrical component mounts




BKT-02

Large Bracket

Sold Separately



Multi-functional bracket used for various electrical component mounts



CISBeacon

Beacon Bracket

Designed to offer a stronger base for your stack lights



PABeacon


Securely elevate your stack light over your equipment



CIS-ABU-PBKT

Universal Photo Eye Bracket

Compatible with Allen Bradley photo eyes






Mounting Brackets




CIS-4

2" x 4" Conduit Bracket




CIS-6

2" x 6" Conduit Bracket




MAX-1

2" x 4" Conduit Bracket



MAX-1A

4" x 4" Conduit Bracket




Mounting Brackets



KVK-02


Mounting Bracket

Compatible with Allen Bradley pow flex series



CISBH-01

Photo Eye Bracket



CISBH-02

Photo Eye Bracket



CISBH-03

Photo Eye Bracket




CISBH-04

Photo Eye Bracket




MAX2S

Max Bracket



MAX2M

Max Bracket



Custom Mounting Brackets

Work with our experts to design and manufacture a fully customized bracket to fit your unique application.




CIS Bead GB 3.75

Beaded Channel Bracket

Designed for 8" & 10" bead guide
bolt hole patterns

Part Number	Thickness
CIS 3.75 X 3.25 BEAD GB	1/8"
CIS 3.75 X 3.25 BEAD GB	3/16"
CIS 3.75 X 3.25 BEAD GB	1/4"




CIS Bead GB 5.30

Beaded Channel Bracket

Designed for 8" & 10" bead guide
bolt hole patterns

Part Number	Thickness
CIS 5.30 X 3.25 BEAD GB	1/8"
CIS 5.30 X 3.25 BEAD GB	3/16"
CIS 5.30 X 3.25 BEAD GB	1/4"




CIS Bead GB 7.75

Beaded Channel Bracket

Designed for 8" & 10" bead guide
bolt hole patterns


Part Number	Thickness
CIS 7.75 X 3.25 BEAD GB	1/8"
CIS 7.75 X 3.25 BEAD GB	3/16"
CIS 7.75 X 3.25 BEAD GB	1/4"



MCSVFD BKT

Variable Frequency Drive Mounting
Bracket

Fits powerflex 525 A,B,C,D frame




Custom Mounting Brackets

Work with our experts to design and manufacture a fully customized bracket to fit your unique application.




MCS-BKT-PEREF-2

Used for the Sick 1089835 Photo Electric Retro-Reflective Sensor




MCS-BKT-PE-REFL-4

Used for the Sick 1089835 Photo Electric Retro-Reflective Sensor



MCS-BKT-REFL-P250

Used for the Sick P250 Reflector



CIS-Universal Combo

Universal Reflector & Photo Eye Bracket

Used for mounting Sick electronics





Photo EyeProtective Bracket



Allen Bradley & Honeywell Products



Allen Bradley Lifeline 4

- Emergency Stop Switch.
- Protective mounting brackets and all Lifeline 4 versions



Allen Bradley Lifeline 5

- Emergency Stop Switch.
- Protective mounting brackets and all Lifeline 5 versions



Allen Bradley Lifeline Rope Tensioner



Allen Bradley Limit Switch

- Protective mounting brackets available.



Allen Bradley Limit Switch

- Protective mounting brackets available.



Allen Bradley QD Cord Set

Emergency Stop Switches



SLK-1W-LED (HONEYWELL 1CPSA1B)

Single span emergency stop with broken/slack cable detect and LED, 120 VAC LED, 1NO & 1NC

SLK-1W-LED-2 (HONEYWELL 1CPSA2B)

Single span emergency stop switch with broken/slack cable detect and LED, 120 VAC LED, 2NO & 2NC

SLK-1W-LED-24VDC (HONEYWELL 1CPSA1A)

Single span cable pull with broken/slack cable detect, 24 VDC LED, 1NO & 1NC

SLK-1W-LED-24VDC-2 (HONEYWELL 1CPSA2A)

Single span cable pull with broken/slack cable detect, 24 VDC LED, 2NO & 2NC

NOSLK-1W-LED (HONEYWELL 1CPSA1B-N)

Single span cable pull without broken/slack cable detect and LED, 120 VAC LED, 1NO & 1NC



SLK-1W-M (HONEYWELL CLSB4B)

Momentary switch



SLK-2W (HONEYWELL 2CPSA1A1)

Dual span cable pull with broken/slack cable detect, 2NO & 2NC

NOSLK-2W (HONEYWELL 2CPSA1A4)

Dual span, no slack cable detect, 2NO & 2NC



SLK-2W-LED (HONEYWELL 2CPSA1A1B)

Dual span emergency stop with broken/slack cable detect and led, 120 VAC LED, 2NO & 2NC

SLK-2W-LED-24VDC (HONEYWELL 2CPSA1A1A)

Dual span cable pull with broken/slack cable detect, 24VDC led, 2NO & 2NC

NOSLK-2W-LED (HONEYWELL 2CPSA1A4)

Dual span cable pull, no slack cable detect with 120 VAC LED, 2NO & 2NC

Emergency Stop Switches



SLK-24V-2CCP (HONEYWELL 2CCP)

- Dual direction
- Improved design for LED and tension windows
- Updated design to easily and economically replace faceplate
- All options in one package size
- Rear conduit port
- Dual, left, or right actuation
- 24 V, 120 Vac, or 230 Vac LED
- E-stop and restart button



SLK-24V-1CPS (HONEYWELL 1CPS)

- IP67 sealing
- Smaller footprint than dual direction
- Extra contact and connector options
- Silver or gold plated contacts
- 24 V or 120 Vac LED
- E-stop
- 10-pin Brad Harrison connector



SLK-24V-2CPS (HONEYWELL 2CPS)

- Dual direction
- IP67 sealing
- Large and robust die-cast aluminum housing
- Dual, left, or right actuation
- 24 V or 120 Vac LED
- Restart button



SLK-1W (HONEYWELL 1CPSA1)

Single span cable pull with broken/slack cable detect, 1NO & 1NC

SLK-1W-2 (HONEYWELL 1CPSA2)

Single span with broken/slack cable detect, 2NO & 2NC

NOSLK-1W (HONEYWELL 1CPSA1-N)

Single span cable pull without broken/slack cable detect, 1NO & 1NC

Protective E-Stops Mounting Bracket



Mounting slots or tongue can be mounted facing in or facing out.

All hardware included.

Will work with all Honeywell Emergency Stop Units.

Product Numbers:

SLK-1W-LED

SLK-2W-LED





Creative Industrial Systems is committed to making your problem our solution. Time is money. When a project is on hold waiting for components, it is costing you and your customer money.

Our brackets and assemblies arrive with every piece needed to complete installation. Your team will never need to send someone to the local hardware store to search for missing pieces.

We pride ourselves on maintaining substantial inventory of all Honeywell cable pull switches, in-house manufactured bracketry, cable and hardware so we can ship most any order the same day and have it on site the next day if needed.

Our staff is knowledgeable and attentive to your needs, and always personally available to support you and your team in the field.

Count on Creative Industrial Systems to be not only your supplier but also your partner who is always there to keep you moving in the right direction.

Contact us:

**2965 Pittsburgh Road
Perryopolis, PA 15473
P: 724-736-0600
F: 724-736-8082
sales@creativeindustrialsystems.com**

**Visit our sister company - Ball Transfer Systems at
www.balltransfer.com**

Warranty & Remedy

Honeywell warrants goods of its manufacture as being free of defective materials and faulty workmanship. Honeywell's standard product warranty applies unless agreed to otherwise by Honeywell in writing; please refer to your order acknowledgement or consult your local sales office for specific warranty details. If warranted goods are returned to Honeywell during the period of coverage, Honeywell will repair or replace, at its option, without charge those items it finds defective.

The foregoing is buyer's sole remedy and is in lieu of all warranties, expressed or implied, including those of merchantability and fitness for a particular purpose. In no event shall Honeywell be liable for consequential special, or indirect damages.

While we (Honeywell) provide application assistance personally, through our literature and the Honeywell website, it is up to the customer to determine the suitability of the product in the application. Specifications may change without notice. The information we supply is believed to be accurate and reliable as of this printing.

However, we assume no responsibility for its use.